

## Dura-Lite Fiberglass Cooling Towers




### Featuring:

- Non-Corrosive Fiberglass & Stainless Steel Structure
- High-Quality Components, Made in the U.S.A.
- Efficient Counterflow Design
- 250-3000 gpm Capacity
- Uncomplicated Field Assembly
- Technical Support



	PROJECT NAME AND LOCATION:		THIS DRAWING IS THE SOLE PROPERTY OF COOLING TOWER DEPOT INC. USE SHALL BE LIMITED TO THE PROJECT FOR WHICH IT IS INTENDED, NO REPRODUCTION SHALL BE MADE NOR SHALL THIS INFORMATION BE MADE AVAILABLE TO THIRD PARTIES WITHOUT THE PRIOR WRITTEN CONSENT BY COOLING TOWER DEPOT INC. ANY AND ALL PROPRIETARY RIGHTS TO THIS INFORMATION AND DESIGN ARE THE SOLE PROPERTY OF COOLING TOWER DEPOT INC.				COOLING TOWER DEPOT, INC CORPORATE CIRCLE GOLDEN, CO 80401 720-746-1234	JOB NUMBER: 0 SCALE: NO SCALE	SHEET: 1 of 1 DRAWING NUMBER: A-100		
	MODEL NO.:		REVISIONS								
	DWG NAME:		REV.	DESCRIPTION	DESIGNED BY:	CHECKED BY:				APPROVED BY:	DATE:
	DRAWING NUMBER:	JOB NUMBER:	SHEET	REV:							
SCALE:	NO SCALE	COMMENTS:	1								
			2								
			3								
			4								

## FRP Packaged Cooling Towers

Our package towers are a top-quality durable unit designed for long life and low maintenance. Each unit is backed by over 20 years of experience in the cooling tower industry. All structural components and mechanical supports are made from durable 304 stainless steel. Rugged fiberglass construction, stainless steel fasteners, and UV-resistant gel coating work to resist corrosion and deterioration from operating conditions and the environment. A PVC piping distribution system means no rust and less maintenance costs. These features give you confidence that your equipment is protected and running at maximum efficiency. Because it is made entirely in the USA, by a company committed to personal attention, you are assured the highest quality construction and attention to detail.



MODEL	88	812	1212	1216	1616
L	8'	8'	12'	12'	16'
W	8'	12'	12'	16'	16'
H	12'-9"	12'-9"	12'-9"	12'-9"	12'-9"
A	8'-6"	8'-6"	8'-6"	8'-6"	8'-6"
F	2'	2'	3'	3'	3'
R	6"	6"	8"	8"	10"
S	8"	8"	10"	10"	10"
D	2"	2"	2"	2"	2"
B	2"	2"	6"	6"	6"
H.P.	★	★	★	★	★
FAN	5'	6'	7'	9'	12'




\* CONTACT FACTORY FOR REQUIRED MOTOR H.P. FOR SPECIFIED DESIGN CONDITIONS.

# FRP Packaged Cooling Towers

Our packaged tower models range in capacity from 250 to 3,000 gpm to fit your company's present or future expansion needs. The Dura-Lite has a highly efficient adjustable pitch fan. The right-angle gear drive allows the motor to be located out of the air stream to permit less maintenance and maximum air flow. A composite shaft mini-mizes corrosion and eases alignment.

Each fan stack has a durable solid-wall FRP panel design and is covered with a hot-dipped galvanized steel fan screen. A galvanized oil line with site gauge allows gear oil level to be checked easily. A variety of PVC fill designs are available depending on cooling needs. Each unit is equipped with an excess vibration cut-off switch.



	PROJECT NAME AND LOCATION:	THIS DRAWING IS THE SOLE PROPERTY OF COOLING TOWER DEPOT INC. USE SHALL BE LIMITED TO THE PROJECT FOR WHICH IT IS INTENDED. NO REPRODUCTION SHALL BE MADE NOR SHALL THIS INFORMATION BE MADE AVAILABLE TO THIRD PARTIES WITHOUT THE PRIOR WRITTEN CONSENT BY COOLING TOWER DEPOT INC. ANY AND ALL PROPRIETARY RIGHTS TO THIS INFORMATION AND DESIGN ARE THE SOLE PROPERTY OF COOLING TOWER DEPOT INC.				JOB NUMBER: 0 SCALE: NO SCALE PROVISION NUMBER: A-100																																								
	MODEL NO.:	<table border="1"> <thead> <tr> <th colspan="5">REVISIONS</th> </tr> <tr> <th>REV.</th> <th>DESCRIPTION</th> <th>DESIGNED BY:</th> <th>CHECKED BY:</th> <th>APPROVED BY:</th> <th>DATE:</th> </tr> </thead> <tbody> <tr><td>0</td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>1</td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>2</td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>3</td><td></td><td></td><td></td><td></td><td></td></tr> <tr><td>4</td><td></td><td></td><td></td><td></td><td></td></tr> </tbody> </table>					REVISIONS					REV.	DESCRIPTION	DESIGNED BY:	CHECKED BY:	APPROVED BY:	DATE:	0						1						2						3						4				
REVISIONS																																														
REV.	DESCRIPTION	DESIGNED BY:	CHECKED BY:	APPROVED BY:	DATE:																																									
0																																														
1																																														
2																																														
3																																														
4																																														
DWG NAME:	DRAWING NUMBER: A-100	JOB NUMBER:	SHEET 1 of 1	REV: 0	SCALE: NO SCALE																																									
SCALE: NO SCALE	COMMENTS:																																													